

CANIK
SUPERIOR HANDGUNS

**PROUDLY
ON DUTY!**



© / canikarms
www.canikarms.com

**METE
SERIES
2019**

DSEI
16-18 September 2019
The World's Leading
Defence & Security Event
Hilton, London, www.dsei.co.uk

INTRODUCTION

Based near the mountain bearing its name, which in ancient times signified a place for protection, Canik has become a world leading firearm manufacturer over less than a decade. Thanks to its background of manufacturing high grade components for aerospace industry, Canik has been able to meticulously develop and produce TP series high quality polymer pistols which have been selected by the Turkish Presidency of Defense Industries in January 2018, within the 'original and indigenous pistol project' to equip Turkish military and law enforcement forces. Canik TP series pistols having proven themselves in many gruesome accuracy, durability and reliability tests, have earned the title METE and have now become the service pistols of the military and law enforcement forces, including Special Forces and SWAT units.

CONTENT

PROVIDING SECURITY REQUIRES PROFESSIONALITY

As CANIK, our goal is to design and manufacture high quality and innovative products that meet the needs and desires of our military and law enforcement clients. We consider it an honor to provide outstanding firearms for sports and protective and professional use to our clients. We thank you for placing your trust in CANIK.

01

STRIKER FIRE
METE SERIES
· GENERAL FEATURES
· STANDART PACKAGE

02

STRIKER FIRE
METE SERIES
· TP9 Sfx METE

03

STRIKER FIRE
METE SERIES
· TP9 SFT METE

04

STRIKER FIRE
METE SERIES
· TP9 SF METE

05

STRIKER FIRE
METE SERIES
· TP9 SF METE-S

06

STRIKER FIRE
METE SERIES
· TP9 SUB METE



- TP9 Sfx METE
- TP9 SFT METE
- TP9 SF METE
- TP9 SF METE-S
- TP9 SUB METE

STANDARD PACKAGE

- Service Holster with Paddle Attachment
- Micro Type Polymer Optic Interface
- Backstrap – Large Size
- 2 Spare Magazine
- Magazine Loader
- Cleaning Kit

GENERAL FEATURES

METE family handguns are semi-automatic, polymer framed, striker fired, SAO pistols, operating on proven standard short recoil - locked breech principle.

In order to operate in the harshest conditions in which the real world tactical situations may unfold, including extreme hot and cold weather, dirty, sandy, and dusty environments, all METE family pistols are expected to meet the highest standards in terms of reliability, durability and accuracy. Therefore all pistols come with external Tenifer or Cerakote over Tenifer finish, and in addition have their internal firing components nickel plated to ensure smooth operation, corrosion resistance and durability with a service life of well above of 50.000 rounds. Moreover METE family pistol members are designed and produced to display an exceptional level accuracy with less than 10 cm of bullet dispersion at 25 meters.

All pistols are equipped with an internal accessory picatinny rail (Mil-Std-1913) under the barrel and Micro Red-Dot interface with Co-Witness feature on the slide to be able to carry various accessories to meet changing operational requirements and different operator preferences. All METE pistols (except for SUB METE) can be installed with a Mag-Well to allow faster reloading and improve the grip. Eventhough they come in different sizes, METE family pistols are fully ambidextrous, all have a common trigger weight, same trigger to grip distance and trigger travel distance and reset distance as well as slide and magazine catches positioned in the same place, allowing the shooters to transition easily between different models without impairing their gun handling and shooting techniques.



TP9 Sfx METE



These full size, long-barrel pistols, equipped with TRUGLO Tritium Night Sights for ease of aiming at night, and capable of mounting a suppressor, are ideal for the operators providing security for critical infrastructures, facilities, buildings and resources. In the same vein, they are an excellent choice for uniformed law enforcement officers on every day patrol duty and SWAT/HRT members in critical operations. They come with standard 18 and two 20 rounds high capacity magazines so that the operator does not have to reload frequently in the thick of a firefight.

Ambidextrous Slide Stop	Interchangeable Mag-well ready backstrap	Side Changeable Magazine Catch W/ three sizes	Striker Status Indicator	Loaded Chamber Indicator

SPECIFICATIONS

Manufacturer	CANIK	Model	TP9Sfx METE
Caliber	9 x 19 mm	Trigger Weight	2-2.5 kg
Magazine Capacity	18 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	146 mm / 5.75"	Safety Systems	• Firing Pin Block • Trigger Safety
Length (mm/inch)	225 mm / 8.86"	Sights	• Drift Adjustable Metal Sights (Optional) • Drift Adjustable Night Sights
Height (mm/inch)	146.5 mm / 5.76"	Other Contents	• 2 Spare 20 rds Magazine • Magazine Loader • Cleaning Kit • User Manual
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	866 gr = 4 gr / 30.55 ounces = 0.14 ounces (With empty magazine, threaded barrel & mag-well)		
Frame	Polymer with Metal Inserts		
Action Type	SAO		

- FEATURES**
- TRUGLO Tritium Night Sights
 - Reversible Magazine Catch
 - MIL-STD-1913 Picatinny Rail
 - Interchangeable Backstrap (2 sizes)
 - Loaded Chamber Indicator
 - Striker Status Indicator
 - Micro Reddot Ready
 - Mag-Well



TP9 SFT METE



SHIELD® SMS MODEL REFLEKS (RED-DOT)

ArmBrace® BUTTSTOCK
 BLACK
 FDE

OLIGHT® TACTICAL FLASH LIGHT
 · PL-2
 · PL-2 RL
 · PL-MINI
 · PL-MINI 2

A-TEC® SUPPRESSOR
 · PMM-2
 · PMM-3
 · PMM-4
 · PMM-5
 · PMM-6

FRONTLINE® LEVEL 3 MID-RIDE TACTICAL HOLSTER COMPATIBLE WITH FLASHLIGHT
 BLACK
 FDE

LOW PROFILE, TWO - SIDED (IWB, OWB) V
 BLACK
 FDE

FEATURES

- TRUGLO Tritium Night Sights
- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready
- Mag-Well

These full size pistols, equipped with TRUGLO Tritium Night Sights for ease of aiming at night, and capable of mounting a suppressor, are just like Sfx METE ideal for the security guards for critical infrastructures, facilities, buildings and resources. Similarly they are designed to be a service pistol par excellence not only for uniformed law enforcement officers on every day patrol duty and SWAT/HRT members in critical operations, but also for military personnel in combat zones. They come with standard 18 and two 20 rounds high capacity magazines so that the operator does not have to reload frequently in the thick of a firefight.



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9SFT METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	18 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	127 mm / 5.00"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	205 mm / 8.07"		
Height (mm/inch)	146.5 mm / 5.76"	Sights	· Drift Adjustable Metal Sights (Optional) · Drift Adjustable Night Sights
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	815 gr / 28.75 ounces (With empty magazine & threaded barrel without mag-well)	Other Contents	· 2 Spare 20 rds Magazine · Magazine Loader · Cleaning Kit · User Manual
Frame	Polymer with Metal Inserts		
Action Type	SAO		

TP9 SF METE



SHIELD® SMS MODEL REFLEKS (RED-DOT)

ArmBrace® BUTTSTOCK
 BLACK
 FDE

OLIGHT® TACTICAL FLASH LIGHT
 · PL-2
 · PL-2 RL
 · PL-MINI
 · PL-MINI 2

A-TEC® SUPPRESSOR
 · PMM-2
 · PMM-3
 · PMM-4
 · PMM-5
 · PMM-6

FRONTLINE® LEVEL 3 MID-RIDE TACTICAL HOLSTER COMPATIBLE WITH FLASHLIGHT
 BLACK
 FDE

LOW PROFILE, TWO - SIDED (IWB, OWB)
 BLACK
 FDE

FEATURES

- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready
- Interchangeable Mag-Well Ready Backstrap

Compact size pistols, especially designed to meet the requirements of special forces operators who need high mobility and configurability in the execution of direct action type missions (raids and small scale attacks) aimed at either capturing high value persons and assets or neutralizing them. They come with 15 and two 18 rounds magazines.



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9SF METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	15 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	103,5 mm / 4.08"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	182 mm / 7.17"		
Height (mm/inch)	133,5 mm / 5.26"	Sights	· Drift Adjustable Metal Sights · Drift Adjustable Night Sights (Optional)
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	745 gr = 4 gr / 26,28 ounces = 0,14 ounces (w/ empty magazine w/o threaded barrel)	Other Contents	· 2 Spare 18 rds Magazine · Magazine Loader · Cleaning Kit · User Manual
Frame	Polymer with Metal Inserts		
Action Type	SAO		





TP9 SF METE-S



SHIELD® SMS MODEL REFLEKS (RED-DOT)

ArmBrace® BUTTSTOCK
 BLACK
 FDE

A-TEC® SUPPRESSOR
 ·PMM-2
 ·PMM-3
 ·PMM-4
 ·PMM-5
 ·PMM-6


OLIGHT® TACTICAL FLASH LIGHT
 · PL-2
 · PL-2 RL
 · PL-MINI
 · PL-MINI 2

FRONTLINE® LEVEL 3 MID-RIDE TACTICAL HOLSTER COMPATIBLE WITH FLASHLIGHT
 BLACK
 FDE

FEATURES
 · Reversible Magazine Catch
 · MIL-STD-1913 Picatinny Rail
 · Interchangeable Backstrap (2 sizes)
 · Loaded Chamber Indicator
 · Striker Status Indicator
 · Micro Reddot Ready
 · Interchangeable Mag-Well Ready Backstrap

LOW PROFILE, TWO - SIDED (IWB, OWB)
 BLACK
 FDE

Compact size pistols, especially designed to meet the requirements of special forces operators who need high mobility and configurability in the execution of direct action type missions (raids and small scale attacks) aimed at either capturing high value persons and assets or neutralizing them. They come with 15 and two 18 rounds magazines.



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9SF METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	15 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	103,5 mm / 4.08"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	182 mm / 7.17"	Sights	· Drift Adjustable Metal Sights · Drift Adjustable Night Sights (Optional)
Height (mm/inch)	133,5 mm / 5.26"	Other Contents	· 2 Spare 18 rds Magazine · Magazine Loader · Cleaning Kit · User Manual
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	745 gr = 4 gr / 26.28 ounces = 0.14 ounces (w/ empty magazine w/o threaded barrel)		
Frame	Polymer with Metal Inserts		
Action Type	SA0		

TP9 SUB METE



SHIELD® SMS MODEL REFLEKS (RED-DOT)

A-TEC® SUPPRESSOR
 ·PMM-2
 ·PMM-3
 ·PMM-4

OLIGHT® TACTICAL FLASH LIGHT
 · PL-MINI 2

LOW PROFILE, TWO - SIDED (IWB, OWB)
 BLACK
 FDE

FEATURES
 · Reversible Magazine Catch
 · MIL-STD-1913 Picatinny Rail
 · Interchangeable Backstrap (2 sizes)
 · Loaded Chamber Indicator
 · Striker Status Indicator
 · Micro Reddot Ready

This most recent addition to METE family pistols is conceived with the needs of intelligence operatives and/or special forces operators in mind. Its sub compact size help operatives and operators to keep a low profile and blend in with the civilian population in the execution of their clandestine or covert intelligence gathering, preparation of the battlefield or direct action or foreign internal defense type missions. Designed to be snag free for better concealment and faster draw, it also possess the all exceptional features of the bigger member of METE family: Thanks to its double stack sub compact frame, it has high round capacity (12 rounds standart, 15 & 18 rounds in addition as accessory) and with its advanced telescopic spring recoil management system it has a remarkable accuracy.



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9 SUB METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	12 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	91,5 mm / 3,60"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	170 mm / 6,70"	Sights	· Drift Adjustable Metal Sights · Drift Adjustable Night Sights (Optional)
Height (mm/inch)	117mm / 4,60"	Other Contents	· 2 Spare Magazine (One 12 rds, One 15 rds) · Magazine Loader · Cleaning Kit · User Manual · 2 Flat Bottom Plate
Width (mm/inch)	37 mm / 1,45"		
Weight (gr/ounces)	695 gr = 4 gr / 24,5 ounces = 0,14 ounces (with empty magazine W/O threaded barrel)		
Frame	Polymer with Metal Inserts		
Action Type	SA0		



CANIKTEAM

CANIKNEWS

CANIKTECH

CANIK

SUPERIOR HANDGUNS


S Y S
SAMSUN YURT SAVUNMA
SANAYİ VE TİCARET A.Ş.

+90 (216) 484 42 70

+90 (216) 484 42 76

export@canikarms.com

info@canikarms.com

 / canikarms
www.canikarms.com